

# Installation de PARI/GP

B. Allombert and A. Page

IMB  
CNRS/Université de Bordeaux/INRIA

22/11/2017



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement N° 676541

## Introduction

This talk focuses on the current development version of the PARI library ([2.10.\\*](#)), available from our GIT repository, see

<http://pari.math.u-bordeaux.fr/anongit.html>

The text of this talk is available in the files [sources.\\*](#) in

[http://pari.math.u-bordeaux.fr/Events/  
PARI2017c/talks/](http://pari.math.u-bordeaux.fr/Events/PARI2017c/talks/)

## Windows users

Download a precompiled 64bit installer

Pari64-2-10-0.A2017c.exe or 32bit binary

Pari32-2-10-0.A2017c.exe from

[http://pari.math.u-bordeaux.fr/pub/pari/  
windows/snapshots/](http://pari.math.u-bordeaux.fr/pub/pari/windows/snapshots/)

Also available are precompiled 64bit binary

gp64-gmp-git\*.exe or 32bit binary gp32-gmp-git\*.exe.

## Mac OS users

Download a precompiled DMG

PariGP-full-2.10.0.A2017c.dmg from

[http://pari.math.u-bordeaux.fr/pub/pari/mac/  
snapshots/](http://pari.math.u-bordeaux.fr/pub/pari/mac/snapshots/)

Also are precompiled binary gp-git\*-osx.

## Debian/Ubuntu

On Debian/Ubuntu, to install all the packages required to build pari from source:

```
sudo apt-get build-dep pari
```

## From source with GIT

Clone the PARI repository with GIT ( $\sim 150\text{MB}$ ).

```
git clone http://pari.math.u-bordeaux.fr/git/pari.git  
cd pari
```

## From source without GIT

Download `pari-2.10.0.A2017c.tar.gz` from

`http:`

`//pari.math.u-bordeaux.fr/pub/pari/snapshots/`

and unpack it

```
tar xf pari-2.10-*.tar.gz  
cd pari-2.10-*
```

## PARI compilation

```
./Configure --prefix=GPDIR --mt=pthread  
make -j4 gp  
make doc  
make statest-all  
make install  
make install-bin-sta  
GPDIR/bin/gp
```

## GP configuration

Create and customize `~/.gprc`. Add

```
histfile = "~/.gp\_history"
colors = "lightbg" \\ or "darkbg"
lines = 40
parisizemax = 4G \\ or the maximum amount of memory
                \\ GP can use (important)
read "~/.gprc.gp"
```

Create an empty file `~/.gprc.gp`

## Updating GIT

To update GIT to the most recent revision:

```
git fetch  
git rebase origin/master
```