

# Installing PARI/GP

B. Allombert and A. Page

IMB  
CNRS/Université de Bordeaux

15/04/2024



## Introduction

This talk focuses on the current development version of the PARI library ([2.16.\\*](#)), available from our GIT repository, see

<https://pari.math.u-bordeaux.fr/anongit.html>

The text of this talk is available in the files `sources.*` in

[https://pari.math.u-bordeaux.fr/Events/  
PARI2024b/talks/](https://pari.math.u-bordeaux.fr/Events/PARI2024b/talks/)

## Windows users

Download a precompiled 64bit installer [Pari64-2-16-1.exe](#) or 32bit binary [Pari32-2-16-1.exe](#) from

[https:](https://pari.math.u-bordeaux.fr/pub/pari/unstable)  
[//pari.math.u-bordeaux.fr/pub/pari/unstable](https://pari.math.u-bordeaux.fr/pub/pari/unstable)

Also available are precompiled 64bit binary [gp64-gmp-git\\*.exe](#) or 32bit binary [gp32-gmp-git\\*.exe](#). Or you can use the "Windows subsystem for Linux", see [https://pari.math.u-bordeaux.fr/PDF/  
PARIwithWindows.pdf](https://pari.math.u-bordeaux.fr/PDF/PARIwithWindows.pdf)

## Mac OS users

Download a precompiled DMG [PariGP-full-2.16.1.dmg](#)  
or [PariGP-arm-full-2.16.1.dmg](#)

[https:](https://pari.math.u-bordeaux.fr/pub/pari/unstable)  
`//pari.math.u-bordeaux.fr/pub/pari/unstable`

on some system, you need to go to the file menu and select open, so that you can bypass the security check.  
Also are precompiled binary [gp-git\\*-osx](#).

## Linux

To install all the packages required to build pari from source:  
Debian/Ubuntu

```
sudo apt-get build-dep pari  
sudo apt-get install libreadline-dev libgmp-dev
```

## Fedora

```
sudo dnf install readline-devel gmp-devel
```

If you want to use git, also do  
Debian/Ubuntu

```
sudo apt-get install git bison automake autoconf
```

## Fedora

```
sudo dnf install git bison automake autoconf
```

## From source with GIT

Clone the PARI repository with GIT ( $\sim 150\text{MB}$ ).

```
git clone https://pari.math.u-bordeaux.fr/git/pari.git  
cd pari
```

## From source without GIT

Download `pari-2.16.1.alpha.tar.gz` from

`https://pari.math.u-bordeaux.fr/pub/pari/unstable`

and unpack it

```
tar xf pari-2.16.1.alpha.tar.gz  
cd pari-2.16.1*
```

## PARI compilation

```
./Configure --prefix=GPDIR --mt=pthread  
make -j4 gp  
make doc  
make statest-all  
make install  
make install-bin-sta  
GPDIR/bin/gp
```

## PARI compilation, debugging version

```
./Configure --prefix=GPDIR.dbg -g  
make -j4 gp.dbg  
make install -C Olinux-x86_64.dbg  
make install-lib-dyn -C Olinux-x86_64.dbg
```

## Optional PARI packages

To install optional PARI packages from

<https://pari.math.u-bordeaux.fr/packages.html>

```
wget https://pari.math.u-bordeaux.fr/\  
pub/pari/packages/galdata.tgz
```

```
tar xf galdata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\  
pub/pari/packages/elldata.tgz
```

```
tar xf elldata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\  
pub/pari/packages/galpol.tgz
```

```
tar xf galpol.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\  
pub/pari/packages/seadata.tgz
```

```
tar xf seadata.tgz
```

## Optional PARI packages

```
wget https://pari.math.u-bordeaux.fr/\  
pub/pari/packages/nflistdata.tgz  
tar xf nflistdata.tgz  
make install-data
```

## GP configuration

Create and customize `~/.gprc`. Add

```
histfile = "~/.gp_history"
colors = "lightbg" \\ or "darkbg"
lines = 40
parisizemax = 4G \\ or the maximum amount of memory
                \\ GP can use (important)
threadsizemax = 1G
read "~/.gprc.gp"
```

Create an empty file `~/.gprc.gp`

## GP2C compilation

With GIT (and automake, autoconf):

```
git clone https://pari.math.u-bordeaux.fr/git/gp2c.git  
cd gp2c  
.autogen.sh
```

Without GIT: download GP2C from <https://pari.math.u-bordeaux.fr/download.html#gp2c>

```
tar xf gp2c-0.0.12.tar.gz  
cd gp2c-0.0.12
```

## GP2C compilation

```
./configure --prefix=$PWD/.../GPDIR \
    --with-paricfg=.../GPDIR/lib/pari/pari.cfg \
    --with-paricfg.dbg=.../GPDIR.dbg/lib/pari/pari.cfg
make check
make install
cd ..
GPDIR/bin/gp2c -v
```

## Updating GIT

To update GIT to the most recent revision:

```
git fetch  
git rebase origin/master  
. /Configure -l  
make install
```

## Changelog

You can see the latest commits with

```
git log
```